



**Bürogebäude in Miltenberg**

## Introduction

The refurbished office building has received a modern BIPV façade.

([Sunovation](#))

## Aesthetic integration

The BIPV façade has been adapted individually to the existing building. The black frameless modules create a uniform surface. They were equipped with an invisible backside glued frame. The result is an elegant power-generating façade that is not recognizable as such at first glance.

## Energy integration

The BIPV modules are estimated to produce around 25 MWh per year.

## Technology integration

399 glass-glass modules ([eFORM color](#)) in 15 different sizes and geometries were optimally integrated by SUNOVATION into the existing building structure. The substructure for this back-ventilated curtain facade has been anchored in the concrete walls with retaining brackets and combined with a structural glazing design. The façade elements have been attached to the retaining profiles with 2-component-silicone and were individually mounted on 4 points in so-called bolt slides. The use of integrated diodes optimizes the yield of this BIPV facade.

## PROJECT DATA

---

<b>Project type</b>	renovation
<b>Building use</b>	office
<b>Building address</b>	Miltenberg, Deutschland

---

## BIPV systems

### BIPV SYSTEM DATA

---

<b>Architectural system</b>	Kaltfassade
<b>Active material</b>	kristallines Silizium
<b>Module transparency</b>	opaque
<b>Module technology</b>	glass-glass, hidden PV, customized modules
<b>System power [kWp]</b>	41
<b>System area [m<sup>2</sup>]</b>	370
<b>Modules tilt [°]</b>	90
<b>Annual FV production [kWh]</b>	25000

---

### BIPV SYSTEM COSTS

---

## Stakeholders

### **BIPV components producer**

Sunovation GmbH  
Glanzstoffstraße 21, Elsenfeld, Deutschland  
info@sunovation.de +49(0) 6022 / 26573-0  
<https://sunovation.de/de>



Case study author: